

## DESCRIPTION

**IP54 surface mounted downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Square Surface

## QUICKINFO

## GENERAL

Finish	White (RAL 9016)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	975lm
Efficacy	Up to 95lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<19


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	-------------------------------------------------------------------------------------



## DESCRIPTION

**IP54 surface mounted adjustable downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Square Surface Adjustable

## QUICKINFO

## GENERAL

Finish	White (RAL 9016)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	915lm
Efficacy	Up to 87lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<19


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--



## DESCRIPTION

**IP54 surface mounted downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
*Fuoco Square Surface*

## QUICKINFO

## GENERAL

Finish	Black (RAL 9005)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	855lm
Efficacy	Up to 82lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<16


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--



## DESCRIPTION

**IP54 surface mounted adjustable downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Square Surface Adjustable

## QUICKINFO

## GENERAL

Finish	White (RAL 9016)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	915lm
Efficacy	Up to 87lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<19


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--



## DESCRIPTION

**IP54 surface mounted downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Round Surface

## QUICKINFO

## GENERAL

Finish	White (RAL 9016)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	956lm
Efficacy	Up to 92lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<19


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--



## DESCRIPTION

**IP54 surface mounted adjustable downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Round Surface Adjustable

## QUICKINFO

## GENERAL

Finish	White (RAL 9016)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	915lm
Efficacy	Up to 89lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<16


## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--



## DESCRIPTION

**IP54 surface mounted downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Round Surface

## QUICKINFO

## GENERAL

Finish	Black (RAL 9005)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED


Optic	60° Reflector
Lumen	865lm
Efficacy	Up to 83lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<16

## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver



## DESCRIPTION

**IP54 surface mounted adjustable downlight with minimalistic design and versatile application**

The Fuoco Series comprises of two classic shapes (Round · Square) with multiple mounting options that are suitable for both consumer and professional applications. With a minimal design and quality light output this downlight brings a modern, eye-pleasing and elegant look to the space. Precisely designed and engineered turning lock system makes this downlight interchangeable low glare reflector with three different beam angles to meet your project requirements.



**Product Collection**  
Fuoco Round Surface Adjustable

## QUICKINFO

## GENERAL

Finish	Black (RAL 9005)
Material	Die-cast Aluminium
IP	54
Lifespan	L90/50,000h
Warranty	5 years

## LED

Optic	60° Reflector
Lumen	890lm
Efficacy	Up to 86lm/W
CRI	3000K
CCT	>92
SDCM	<3
UGR	<16

## ELECTRICAL

Voltage	220-240V
Power	10W
Driver Build-in (Flicker-Free)	Phase cut

## ACCESSORIES

Glass diffuser or honeycomb louver

BEAM 36°	CRI>92	SDCM<3	IP54	IK10	5 YEARS	
-------------	--------	--------	------	------	------------	--

